
GUIDE TO ASBESTOS NESHAP QUESTIONS



Prior to commencing any activity, a California Certified Asbestos Consultant (CAC) must complete a thorough inspection for the presence, quantity and categories of asbestos-containing material (ACM). [Asbestos Survey] Is the quantity of Regulated Asbestos Containing Material (RACM) to be disturbed at least; 260 linear feet, 160 square feet, or 35 cubic feet? Yes No Is the project a **DEMOLITION** (the unweighting of any load-bearing structural member of the building)? -- OR -- The intentional burning for fire training purposes? No Yes Go to PAGE 3 You are only required to

perform an asbestos survey prior to initiation of work.

REGULATED RENOVATIONS AND DEMOLITIONS

- 1) You must submit an Asbestos Survey and completed Notification Form at least 10 working days prior to initiating work on the project.
- 2) Demolitions:
 - a) Requires a 2-X notification fee (even for structures that are used for fire department for training purposes).
 - b) (Regulation IV, Rule 401, §1.1.2) An additional 2-X* fee is added if Asbestos Abatement is required for a <u>Demolition</u> Project.
- 3) Renovations require only a 2-X* notification fee.
- 4) IF, after notification has been submitted, the quantity of asbestos containing material (ACM) changes by at least 20%, then update the notification.
- 5) IF, after notification has been submitted, the start date changes to a date <u>after</u> the original start date, then notify by phone as soon as possible AND provide written notice as soon as possible AND no later than original start date.
- 6) IF, after notification has been submitted, start date changes to a date earlier than the original start date, then provide written notice at least 10 days prior to the new start date.

IN NO EVENT SHALL A PROJECT START ON A DATE OTHER THAN THE DATE CONTAINED IN THE WRITTEN NOTIFICATION.

(40 CFR 61.145 (b) (iv) (C))

* The X value changes annually. Call to get current value: 707-443-3093